


1650 McReynolds Avenue, N.W. Grand Rapids, Michigan 49504-2043 Phone: (616) 363-4416 Fax: (616) 363-0380 www.bulmanproducts.com

## A696 PORTABLE DELUXE RAZOR-X CUTTER 24", 36", 48", 60" INSTRUCTION SHEET

N Products. Inc.

- 1. Attach the three hold down strips with two #10 x 1-3/4" round head bolts, two #10-24 keps hex nuts and two #10 acorn nuts, as shown in the exploded assembly drawing.
- 2. Attach the two uprights to the base assembly as shown in the exploded assembly drawing.
- 3. Attach the cross bar, two roller dowel clips and the 3/4" diameter roller dowel to the uprights as shown in the exploded assembly drawing. NOTE: Attach the first roller dowel clip to the cross bar and upright, insert one end of the roller dowel into that clip. Insert the other end of the dowel into the unattached clip before securing it to the crossbar and upright.
- 4. Attach the dowel sockets to the uprights as shown in the exploded assembly drawing.
- 5. Attach the handle to one of the uprights as shown in the exploded assembly drawing.
- 6. Attach the four casters using four 1/2-13 hex nuts as shown in the exploded assembly drawing.
- 7. Insert the 1-1/4" feed dowel through the core of the material to be dispensed. If core plugs are included with your material, use them. Insert the dowel onto the dowel sockets.
- 8. Feed the material over the top of the roller dowel and under one, two, or all three of the hold-downs if necessary to prevent rollback.
- 9. Your A696 Portable Deluxe Razor-X Cutter is ready to dispense.





1650 McReynolds Avenue, N.W. Grand Rapids, Michigan 49504-2043 Phone: (616) 363-4416 Fax: (616) 363-0380 www.bulmanproducts.com

## **DELUXE RAZOR-X HEAD REPLACEMENT**

- 1. DISASSEMBLE ONE END OF THE CUTTER TO REMOVE THE OLD CUTTING HEAD.
- 2. ADJUST GUARD HEIGHT FOR MATERIAL THICKNESS. 3. REPLACE CUTTING HEAD AND REASSEMBLE CUTTER. MAKE SURE BLADES FIT BETWEEN HARDENED BLUE STEEL BLADE AND ALUMINUM TRACK AND DOESN'T RIDE ON FOAM. SEE DRAWING. FOR ILLUSTRATION PURPOSES THE BEARINGS ARE GLUED IN PLACE. SOME FEATURES ARE NOT SHOWN. THE BEARINGS ARE NOT SERVICEABLE. DESCRIPTION PART NO. **DELUXE RAZOR-X HEAD ASSEMBLY COMPLETE** #69500 DELUXE RAZOR-X HEAD TOP ASSEMBLY WITH BEARINGS #6950 **DELUXE RAZOR-X ADJUSTABLE GUARD** #6956 GUARD 6-32 SCREWS (6-REQ'D) #69511 **UTILITY BLADE (2-REQ'D)** #69510 SCREW A690R, A691R, A694, A695, A696 & A697 FOAM & **BLADE ASSEMBLY SIZES** PART NOS. 24" 364244 UTILITY BLADE 36" 364255 48" 364266 FOAM 60" 364261 **ALUMINUM TRACK** A692 FOAM & BLADE ASSEMBLY 364266 HARDENED BLUE STEEL BLADE



**BULMAN Products, Inc.** 

1650 McReynolds Avenue, N.W. Grand Rapids, Michigan 49504-2043 Phone: (616) 363-4416 Fax: (616) 363-0380 www.bulmanproducts.com

